

References

- Alessi, A. J. (1937) Some minerals of Ishpeming, Michigan. *Rocks and Minerals*, **12**, 209.
- Alien, R. C. (1910) The Iron River iron-bearing district of Michigan. *Michigan Geological Survey Publication 3, Geological Series 2*.
- Alien, R. C. (1911) Gold in Michigan. Mineral resources of Michigan with statistical tables of production and value of mineral products for 1910 and prior years. *Michigan Geological Survey Publication 8, Geological Series 6*, 355-356.
- Alien, R. C. (1920) Mineral resources of Michigan for 1918 and prior years. *Michigan Geological Survey Publication 29, Geol Ser. 24*.
- Alien, R. C., and L. P. Barrett (1915) Contributions to the Pre-Cambrian geology of northern Michigan and Wisconsin. *Michigan Geological Survey Publication 18, Geological Series 15*, 1-164.
- Alty, S. W. (1933) Some properties of authigenic tourmaline from Lower Devonian sediments. *American Mineralogist*, **18**, 351-355.
- Anderson, G. J. (1968) The Marquette District, Michigan. *A.I.M.E. Graton-Sales*, **1**, 507-517.
- Anderson, R. J., and G. C. Egelson (1970) Discovery of potash in the A-1 Salina salt of Michigan (abstract). *6th Forum on Geologic Industrial Minerals, Michigan Geological Survey*, 15-19.
- Anonymous (1964a) Bountiful brine, *Michigan Geological Survey Bulletin 1*, 57-58.
- Anonymous (1964b) Brine-salt of the earth. *Michigan Geological Survey Bulletin 1*, 59-61.
- Artioli, G. S. Quartieri, and A. Deriu (1995) Spectroscopic data on coexisting prehnite-pumpellyite and epidote-pumpellyite. *Canadian Mineralogist*, **33**, 67-75.
- Ayres, V. L. (1940) Mineral notes from the Michigan iron country. *American Mineralogist*, **25**, 432-434.
- Ayres, V. L., and W. D. Higgins (1939) Differentiation in xenolithic lamprophyre dikes at Marquette, Michigan. *Journal of Geology*, **47**, 561-582.
- Babcock, L. L. (1966a) The manganese-bearing silicate minerals of Champion Mine, Champion, Michigan. M. S. thesis, Michigan Technological University.
- Babcock, L. L. (1966b) The manganese-bearing minerals of Champion Mine, Champion Michigan (abstract). *American Mineralogist*, **51**, 1560-1561.
- Bailey, S. W., and S. A. Tyler (1960) Clay minerals associated with the Lake Superior iron ores. *Economic Geology*, **55**, 150-175.
- Barghoorn, E. S., W. G. Meinschein, and J. W. Schopf (1965) Paleobiology of a Precambrian shale. *Science*, **148**, 461-472.
- Barnett, R. L. (1991) Petrographic-electron microprobe (EDS) investigation of uraniferous iron oxide-rich samples from the Crystal Falls region, Michigan. Unpublished report.
- Baxter, D. A., T. J. Bornhorst, and J. L. Van Alstine (1987) Geology, structure, and associated precious metal mineralization of Archaean rocks in the vicinity of Clark Creek, Marquette County, Michigan. *Proceedings and Abstracts - Institute on lake Superior Geology, Annual Meeting 33 (1987)*, 6 - 7.
- Bayley, R. W. (1959) Geology of the Lake Mary quadrangle, Iron County, Michigan. *U.S. Geological Survey Bulletin 1077*.
- Bayley, R. W., C. E. Dutton, and C. A. Lamey (1966) Geology of the Menominee iron-bearing district, Dickinson County, Michigan, and Florence and Marinette Counties, Wisconsin. *U.S. Geological Survey Professional Paper 513*.
- Bayley, W. S. (1904) The Menominee iron-bearing district of Michigan. *U.S. Geological Survey Monograph 46*.
- Bee, T. M., and T. V. Dagenhart, Jr. (1984) Langite, pos-njakite and brochantite from the Clark mine, Copper Harbor, Michigan and a review of occurrences of $\text{Cu}_4\text{SO}_4(\text{OH})_4 \cdot 2\text{H}_2\text{O}$ polymorphs. Published by T. M. Bee, 19 pages.
- Behnke, D. (1983) Copper country microminerals. *Mineralogical Record*, **14**, 219-226.

- Berger, M. K., A. Livnat, R. D. Elmore, D. R. Peacor, and E. J. Essene (1981a) X-ray diffraction, electron microscope study of a low-grade metamorphic clay sequence in Keweenaw rocks, upper Michigan (abstract). *Geological Society of America, Abstracts with Programs*, **13**(5), 408.
- Berger, M. K., D. R. Peacor, and R. D. Elmore (1981b) Submicroscopic analysis of clays from the Copper Harbor Conglomerate, upper Michigan (abstracts). *Michigan Academy of Science Letters*, **106**, 9.
- Bergquist, S. G. (1929) The occurrence of glauconite in the Hermansville formation of Alger County, Michigan, *Michigan Academy of Science Papers*, **12**, 231- 237.
- Beroni, E. P. and B. A. Patterson (1956) P. A. Burke and Associates property near Bergland, Michigan. *U.S. Atomic Energy Commission Preliminary Reconnaissance Report ISH-1*, 1 p.
- Berry, L. G., and R. M. Thompson (1962) X-ray powder data for ore minerals: The Peacock Atlas. *Geological Society of America Memoir 85*.
- Bhaat, K. J. (1952) Geology of Mount Bohemia, Michigan. M. S. thesis, Michigan Technological University.
- Boben, C., T. J. Bornhorst, and J. L. VanAlstine (1986) Detailed geological study of three precious metal prospects in Marquette County, Michigan (abstracts). *32nd Annual Institute Lake Superior Geological Abstracts*, 8-9.
- Borgstrom, L. H. (1916) Algodonite and whitneyite. *GeoL Fren. Fork.*, **38**, 95-100.
- Bornhorst, T. J. (1997) Tectonic context of native copper deposits of North American Midcontinent Rift System. *Geological Society of America Special Paper 312*, 127 -136.
- Bornhorst, T. J., S. E. Bair, and G. W. Scott (1999) Introduction to the Ropes gold deposit in the Ishpeming Greenstone Belt, Michigan (abstracted from R. A. Brozdowski). *45th Annual Institute on Lake Superior Geology, Part 2: Field Trip Guidebook*, **29** - 44.
- Bornhorst, T. J., L. L. Sutter, and S. M. Carlson (1995) New evidence for a genetic link between the giant White Pine copper deposit and the world-class native copper district of the Keweenaw peninsula, Michigan, *Geological Society of America Abstracts with Programs*, **27**(6), A118.
- Boyum, B. H. (1962) Marquette iron range. In Geology of the Lake Superior Region. *National Science Foundation Summer Conference, Michigan College of Mineral Technology*, 41-50.
- Briggs, L. L. (1960) Petrography of salt. In *Sodium Chloride*, edited by D. W. Kaufmann, Chapter 3, 22-27. Reinhold, New York.
- Brock, M. R. and R. C. Reed (1979) Thorium and uranium resources in Goodrich Quartzite upgraded, *U.S. Geological Survey Professional Paper No. 1150*, 37.
- Broderick, T. M. (1929) Zoning in Michigan copper deposits and its significance. *Economic Geology*, **24**, 149-162, 311-326.
- Broderick, T. M. (1931) Fissure vein and lode relations in Michigan copper deposits. *Economic Geology*, **26**, 840-856.
- Broderick, T. M. (1935) Differentiation in lavas of the Michigan Keweenawan. *Geological Society of America Bulletin*, **46**, 503-558.
- Broderick, T. M. (1945) Geology of the Ropes gold mine, Marquette County, Michigan. *Economic Geology*, **40**, 115-128.
- Broderick, T. M. (1952) The origin of Michigan copper deposits. *Economic Geology*, **47**, 215-219.
- Broderick, T. M. (1956) Copper deposits of the Lake Superior region. *Economic Geology*, **51**, 285-287.
- Brooks, T. B. (1873) Upper Peninsula 1869-1873, Iron-bearing rocks. *Michigan Geological Survey*, **1**(1), 1-319, II, Appendices to Part I.
- Brozdowski, R. A. (1990) Ropes pyritic gold deposit in a dilatational bend, Marquette greenstone belt, Michigan (abstract). *Program with Abstracts - Geological Association of Canada*, **15**, 16.
- Brower, E. (1968) Michigan's Menominee iron range. *Earth Science*, **21**(2), 70-71.
- Brown, A. C. (1966) Zoning of the White Pine copper deposit, Ontonagon County, Michigan (abstract), *12th Annual Institute Lake Superior Geology*, 4.

- Brown, A. C. (1968) *Zoning in the White Pine copper deposit, Ontonagon County, Michigan*. Ph. D. thesis, University of Michigan.
- Brown, A. C., and J. W. Trammell (1966) Zoning of the White Pine copper deposit, Ontonagon County, Michigan (abstract). *Economic Geology*, **61**, 1308.
- Brown, G. G. (1924) Clays and shales of Michigan. *Michigan Geological Survey Publication 36, Geological Series 30*.
- Brown, L. L., and A. R. Rule (1978) Petrographic and beneficiation studies on Michigan phosphate rock- preliminary report. *U.S. Bureau Mines Preliminary Report*.
- Brown, L. L., and C. B. Daellenbach (1981) Characterization and beneficiation of phosphate-bearing rocks from northern Michigan. *U.S. Bureau Mines Report Investigation 8562*, 16p.
- Burgess, G. T., J. T. Wilband, and T. A. Vogel (1986) Major and trace element variation within Keweenawan diabase dikes of northern Michigan: evidence for magma mixing and crystal fractionation (abstracts). *32nd Annual Institute Lake Superior Geological Abstracts*, 14.
- Butler, B. S., and W.S. Burbank (1929) The copper deposits of Michigan. *U.S. Geological Survey Professional Paper J44*.
- Callender, E. (1970) The economic potential of ferro-manganese nodules in the Great Lakes. *6th Forum on Geologic Industrial Minerals. Michigan Geological Survey*, 56-65.
- Cannon, W. F. (1976) Hard iron ore of the Marquette range, Michigan. *Economic Geology*, **71**, 1012, 1028.
- Cannon, W. F. (1980) Copper-bearing quartzite near Watersmeet, Michigan. *Geological Survey Open-File Report 80-390*, 7p.
- Cannon, W. F. (1983a) Mineral resources assessment of the Iron River 1° x 2° quadrangle, Michigan and Wisconsin. *U.S. Geological Survey Circular 887*.
- Cannon, W. F. (1983b) Michigan's iron ranges, *Rocks and Minerals*, **58**(3), 118-120.
- Cannon, W. F. and J. S. Klasner (1976) Phosphorite and other apatite-bearing sedimentary rocks in the Precambrian of northern Michigan, *U.S. Geological Survey Circular 746*.
- Cannon, W. F., and M. G. Mudrey, Jr. (1981) The potential for diamond-bearing kimberlite in northern Michigan. *U.S. Geological Survey Circular 842*.
- Carlson, S. M., and W. Floodstrand (1994) Michigan kimberlites and diamond exploration techniques (abstract). *Institute on Lake Superior Geology Pro-ceedings, 40th Annual Meeting, Houghton, MI*, **40**, part 4.
- Carpenter, R. H. (1963) Some vein-wall rock relationships in the White Pine mine, Ontonagon County, Michigan. *Economic Geology*, **58**, 643-666.
- Carr, M. S., and C. E. Dutton (1959) Iron-ore resources of the United States including Alaska and Puerto Rico, 1955. *U.S. Geological Survey Bulletin 1082-C*.
- Catacosinos, P. A., W. B. Harrison, R. F. Reynolds, D. B. Westjohn, and M. S. Wollensac (2001) Stratigraphic Nomenclature for Michigan, *in: Stratigraphic Lexicon for Michigan, Michigan Geological Survey, Bulletin 8*.
- Catlin, J. M. (1835) Large mass of native copper. *American Journal of Science*, **27**, 381-382.
- Cercone, K. R. (1984) Diagenesis of Niagaran (Middle Silurian) pinnacle reefs, northwest Michigan. Ph. D. thesis, University of Michigan.
- Chamberlain, Von Del (1968) Meteorites of Michigan. *Michigan Geological Survey Bulletin 5*.
- Charfewood, G. H. (1935) The nature and occurrence of carbonates in veins. *Economic Geology* **30**, 502-517.
- Claassen, E. (1882) Mineralogical Notes, *American Journal of Science*, **23**, 67.
- Clark, J. L. C. (1974) Sulfide mineralization in the Kona Dolomite, Marquette County, Michigan. M. S. thesis, Michigan Technological University.
- Clarke, R. M. (1997) Saddlebackite, $Pb_2Bi_2Te_2S_3$, a new mineral species from the Boddington gold deposit, Western Australia. *Australian Journal of Mineralogy*, **3**, 119-124.

- Clements, J. M. (1895) The volcanics of the Michi-gamme district of Michigan. *Journal of Geology*, **3**, 801-822.
- Cloud, P. and K. Morrison (1979) New microbiotas from the Animikie and Baraga Groups (2 GYR old), northern Michigan (abstracts). *Geological Society of America Abstracts with Program*, **11**(5), 227.
- Conrad, M. A. (1952) Contact metamorphic effects of three pegmatite dikes in the upper peninsula of Michigan. M. S. thesis, Michigan Technological University.
- Corbett, C. S. (1925) Leverrierite as a schist-forming mineral *American Journal of Science* **10**, 247-268.
- Cornwall, H. R. (1951a) Ilmenite, magnetite, hematite and copper in lavas of the Keweenawan Series. *Economic Geology*, **46**, 51-67.
- Cornwall, H. R. (1951b) Differentiation in lavas of the Keweenawan Series and the origin of the copper deposits of Michigan. *Geological Society of America Bulletin* **62**, 159-202.
- Cornwall, H. R. (1954) Bedrock geology of the Phoenix quadrangle, Michigan. *U.S. Geological Survey Map GQ-34*.
- Creveling, J. G. (1926) The peridotite of Presque Isle, Michigan; a study in serpentinization. *American Journal of Science*, **12**, 515-521.
- Crook, A. R. (1929) An Illinois record copper erratic. *American Mineralogist*, **14**, 119-124.
- Crump, R. M. (1947) The origin of the hard ores of the Marquette District. Ph. D. thesis, University of Wisconsin.
- Cumberlidge, J. T., and J. G. Stone (1964) The Vulcan iron formation at the Groveland mine, Iron Mountain, Michigan. *Economic Geology*, **59**, 1094-1106.
- Cureton, F. (1989) Argentopentlandite from Michigan. *Mineralogical Record*, **20**, 488.
- Dana, E. S. (1886) On the crystallization of native copper. *American Journal of Science*, **32**, 413-429.
- Dana, E. S. (1892) *The System of Mineralogy, 6th Edition*. John Wiley and Sons, New York.
- Davis, C. A. (1909) Report on the geology of Tuscola County. *Michigan Geological Survey Annual Report 1908, Part C*.
- Deli, C. L. G. (1971) Late Quaternary sedimentation in Lake Superior. Ph. D. thesis, University of Michigan.
- Dellwig, L. F. (1953) Hopper crystals of halite in the Salina of Michigan. *American Mineralogist*, **38**, 730-731.
- Dellwig, L. F. (1955) Origin of the Salina salt of Michigan. *Journal of Sedimentary Petrology*, **25**, 83-110.
- Dellwig, L. F., and L. L. Briggs (1953) Textural relationships in the Salina salt in Michigan (abstract). *American Mineralogist*, **38**, 334.
- DeMark, R. (2000) Mines and minerals of Michigan's iron country. *Rocks and Minerals*, **75**, 92-101.
- Denning, R. M. (1949) The petrology of the Jacobsville Sandstone, Lake Superior. M. S. thesis, Michigan Technological University.
- De Rusha, L. (1957) Collecting in Michigan and Minnesota. *Rocks and Minerals*, **32**, 551-553.
- Dickey, R. M., and S. S. Young (1938) Relations between granite and slate in the Eureka mine, Ramsay, Michigan. *Michigan Academy of Science Papers*, **24**, 43-49.
- Dietrich, R. V. (1983) Michigan's state stone and state gemstone. *Rocks and Minerals*, **58**(3), 97-98.
- Doane, V. L. (1956) A petrographic study of the Nonesuch Shale sectioned by the White Pine water intake tunnel Ontonagon County, Michigan. M. S. thesis, Michigan Technological University.
- Dobell, J. P. (1966a) Thomsonite and prehnite. *Earth Science*, **19**(2), 60-61.
- Dobell, J. P. (1966b) Datolite. *Earth Science*, **19**(3), 106-107.
- Dobell, J. P. (1966c) Lake Superior agate. *Earth Science*, **19**(3), inside cover.
- Dockeray, M. J. (1983) Michigan gypsum, with emphasis on the Grand Rapids gypsum locality. *Rocks and Minerals*, **58**(3), 129-131.
- Dorr, J. A., and D. F. Eschman (1970) *Geology of Michigan*. University of Michigan Press.

- Drier, R. W., and O. J. DuTemple (eds.) (1961) Prehistoric Copper Mining in the Lake Superior Region. Privately Published.
- Duskin, D. J., and T. O. Quigley (1999) Shear zones and gold mineralization in the south half of the Ishpeming Greenstone Belt, Michigan. *45th Annual Institute on Lake Superior Geology, Part 2: Field Trip Guidebook*, 51-96.
- Dustin, F. (1931) The gems of Isle Royale, Michigan. *Michigan Academy of Science Papers*, **16**, 383-398.
- Dustin, F. (1934) A study of the Bayport chert. *Michigan Academy of Science Papers*, **20**, 465-475.
- Dutton, C. E. (1958) Precambrian geology of parts of Dickinson and Iron Counties, Michigan. *Michigan Basin Geological Society Annual Geological Excursion, June 1958*, 40p.
- Dutton, C. E. (1964) Geology of the Florence area, Wisconsin-Michigan (abstracts). *10th Annual Institute of Lake Superior Geology Program and Abstracts*, 21-22.
- Dutton, C. E., and P. W. Zimmer (1968) Iron ore deposits of the Menominee district, Michigan. *A.I.M.E. Graton-Sales Volume I*, 538-549.
- Eddy, L. (1948) Large kidney ore found in Michigan. *Rocks and Minerals*, **23**, 717.
- Eglinton, G., P. M. Scott, T. Belsky, A. L. Burlingame, W. Richter, and M. Calvin (1964) Hydrocarbons of biological origin from a 1-billion year old sediment. *Science*, **145**, 262-264.
- Elmore, R. D. (1981) The Copper Harbor Conglomerate and Nonesuch shale: Sedimentation in a Precambrian intracontinental rift, upper Michigan. Ph. D. thesis, University of Michigan.
- Elmore, R. D., and P. A. Daniels (1980) Non-marine stromatolites in alluvial fan deposits, the Copper Harbor Conglomerate, upper Michigan (abstract). *Geological Society of America Abstracts with Programs*, **12**(5), 225.
- Elmore, R. D., and R. Van Der Voo (1981) Origin of hematite in a red bed deposit: petrography and paleomagnetism of the Copper Harbor Conglomerate (Keweenawan), upper Michigan (abstract). *Geological Society of America Abstracts with Programs*, **13**, 446.
- Ensign, C. O., Jr., W. S. White, J. C. Wright, J. L. Patrick, R. J. Leone, D. J. Hathaway, J. W. Tramell, J. J. Fritts, and T. L. Wright (1968) Copper deposits in the Nonesuch Shale, White Pine, Michigan. *A.I.M.E. Graton-Sales Volume I*, 460-488.
- Erd, R. C., G. D. Eberlein, and A. Pabst (1967) Stellerite: a valid member of a continuous series with monoclinic stilbite (abstract). *Geological Society of America Annual Meeting Program 1967*, 58-59.
- Erdos, E., E. Denzler, and H. Altörfer (1981) Thermo-chemische, kristallographische und infrarotuntersuchungen an calciumkupferhydroxychlorid-hydratet. *Thermochimica Acta*, **44**, 345-361.
- Eschman, D. F. (1977) The source of chloride contamination of ground water near Sault Saint Marie, Michigan (abstract). *Geological Society of America Abstracts with Programs*, **9**(5), 591-592.
- Essene, E. J. (1985) Occurrence of native silicon in a fulgurite and implications of extreme reduction as a geologic process (abstract). *Geological Society of America Abstracts with Programs*, **17**(6), 575.
- Essene, E. J. (1986) Lightning strike fusion: extreme reduction and metal silicate liquid immiscibility. *Science*, **234**, 189-493.
- Essene, E. J., and D. C. Fisher (1984) Occurrence of natural iron silicides in a fulgurite and implications for extreme reduction during lightning strike fusion (abstract). *Geological Society of America Abstracts with Programs*, **16**(6), 503-504.
- Falster, A. (1978) Microminerals. *Mineralogical Record*, **9**, 314-315.
- Fitzgerald, P. E., and W. A. Thomas (1931) The occurrence of fluorite in the Monroe formation of the Mt. Pleasant oil pool. *Michigan Academy of Science Papers*, **16**, 415-420.
- Foote, A. E. (1873) On zonochlorite, a new hydrous silicate from Nipigon Bay, north shore of Lake Superior, *B.A. Amer. Assoc. Proceedings*, **21**, 65-66.
- Foshag, W. F., and E. S. Larsen (1922) Eakleite from Isle Royale, Michigan. *American Mineralogist*, **7**, 23-24.
- Foster, J. W., and J. D. Whitney (1853) Leonhardite of Copper Falls, Lake Superior region. *American Journal of*

- Science*, **15**, 440.
- Fountain, D. (1992) Michigan Gold Mining in the Upper Peninsula. Lake Superior Port Cities, Inc., Duluth, 163 p.
- Franz, H. (1947) Fulgurites in Michigan. *Rocks and Minerals*, **21**, 354-355.
- Frue, W. B. (1953) Report on the rise and fall of the various copper interests of the south shore of Lake Superior. *Earth Science Digest*, **6**(4), 31-35.
- Gaines, R. V., H. C. W. Skinner, E. E. Foord, B. Mason, and A. Rosenzweig (1997) *Dana's New Mineralogy, The System of Mineralogy of James Dwight Dana and Edward Salisbury Dana, 8th Edition*. John Wiley & Sons, Inc., New York, 1535-1538.
- Gair, J. E. (1975) Bedrock geology and ore deposits of the Palmer quadrangle, Marquette County, Michigan. *U.S. Geological Survey Professional Paper* 769.
- Gair, J. E. and G. C. Simmons (1968) Palmer Gneiss - an example of retrograde metamorphism along an unconformity. *U.S. Geological Survey, Professional Paper (1968)*, D186-D194.
- Gair, J. E., and R. E. Thaden (1968) Geology of the Marquette and Sands quadrangles, Marquette County, Michigan. *U.S. Geological Survey Professional Paper* 397.
- Gair, J. E., and K. L. Wier (1956) Geology of the Kier-man quadrangle, Iron County, Michigan. *U.S. Geological Survey Bulletin* 1044.
- Genth, F. A. (1859) Whitneyite, a new species. *American Journal of Science*, **27**, 400.
- Genth, F. A. (1862) Contributions to mineralogy. *American Journal of Science*, **33**, 190-206.
- Good, S. E., and F. J. Pettijohn (1949) Magnetic survey and geology of the Stager area, Iron County, Michigan. *U.S. Geological Survey Circular* 55.
- Griffin, J. B. (ed.) (1961) Lake Superior copper and the Indians; miscellaneous studies of Great Lakes prehistory. *University of Michigan Museum of Anthropology, Anthropology Paper* J 7.
- Grimsley, G. P. (1904a) The gypsum of Michigan and the plaster industry. *Michigan Geological Survey*.
- Grimsley, G. P. (1904b) Gypsum deposits in Michigan. *U.S. Geological Survey Bulletin* 223, 45-47.
- Gruner, J. W., (1932) Magnesiosussexite, a new mineral from a Michigan iron mine, isomorphous with sussexite and camsellite. *American Mineralogist*, **17**, 509-513.
- Gruner, J. W. (1946) Dickite and chromium silicate in the iron ores of the Marquette and Gogebic Ranges, Michigan (abstract). *American Mineralogist*, **31**, 195.
- Gunn, C. B. (1968) A descriptive catalog of the drift diamonds of the Great Lakes region, North America. *Gems and Gemology*, Summer-Fall edition, 297-303, 333-334.
- Haase, S. C., and C. Klein (1978) Paragenesis of olivine in the regionally metamorphosed Negaunee iron-formation (NIF) at Republic mine, northern Michigan (abstract). *Geological Society of America Abstracts with Programs*, **10**(7), 414.
- Hamblin, W. K. (1958) The Cambrian sandstones of northern Michigan. *Michigan Geological Survey, Publication* 51.
- Hamilton, S. K. (1967) Copper mineralization in the upper part of the Copper Harbor conglomerate at White Pine, Michigan. *Economic Geology*, **62**, 885-904.
- Harcourt, G. A. (1942) Tables for the identification of ore minerals by X-ray powder patterns. *American Mineralogist*, **27**, 63-113.
- Harrison, W. B., and D. Bohjanen (1986) Recognition and correlation of volcanic ash beds in the Michigan basin subsurface (abstract). *Geological Society of America Abstracts with Programs*, **18**(4), 291.
- Harrison, W. J. (1971) Clay mineral assemblages and chlorite polytypes in the basal Nonesuch Shale, White Pine, Michigan. M. S. thesis, Northern Illinois University.
- Hawes, G. W. (1875) On zonochloite and chlorastrolite. *American Journal of Science*, **10**, 24-26.
- Hawke, R. (1976) A guide to the rocks and minerals of Michigan. Published by Dick Hawke Science Services, Midland,

Michigan.

Hearn, B. C., Jr., and E. S. McGee (1985) Research on kimberlites and applications to diamond prospecting. *U.S. Geological Survey Research on Mineral Resources-1985, Program and Abstracts. US, Geological Survey Circular 949*, 22-23.

Heinrich, E. W. (1962a) Paragenesis of the Crockley pegmatite, Republic, Michigan. *American Mineralogist*, **47**, 1203-1205.

Heinrich, E. W. (1962b) Exomorphism around an aplite-pegmatite dike, Felch, Michigan. *American Mineralogist*, **47**, 1205-1209.

Heinrich, E. W. (1965a) *Microscopic Identification of Minerals*. McGraw-Hill.

Heinrich, E. W. (1965b) Further information on the geology of chromian muscovites. *American Mineralogist*, **50**, 758 - 762.

Heinrich, E. W. (1971) Survey of limestone resources in Illinois, Indiana, and Michigan. Consultation Report. 18 pages.

Heinrich, E. W. (1974) An unusual manganese deposit in Keweenawan basalt, Copper Harbor, Michigan. Consultation Report. 12 pages.

Heinrich, E. W. (1976) *The Mineralogy of Michigan*. Michigan Department of Natural Resources, Geological Survey Division, Bulletin 6, 225 pages.

Heinrich, E. W. (1979) Economic geology of the sand and sandstone resources in Michigan. *Michigan Geology Survey Report Investigation 21*.

Heinrich, E. W., and H. N. Pollack (1978) Petrography of basement rocks in Michigan basin deep borehole between 5308-5324 m. MS report, 12 pages.

Heinrich, E. W., and R. W. Vian (1967) Carbonatitic bar-ites. *American Mineralogist*, **52**, 1179-1189.

Hewett, D. F. (1972) Manganite, hausmannite, braunite: features, modes of origin. *Economic Geology*, **67**, 83-102.

Hill, J. (1948) A report on unusual limonite forms from Van Buren County, Michigan. *Rocks and Minerals*, **23**, 802-806.

Hinsdale, W. B. (1931) Archaeological atlas of Michigan. *University of Michigan Museums, Michigan Handbook Series No. 4*.

Ho, E. S., and J. L. Mauk (1996) Relationship between organic matter and copper mineralization in the prot-erozoic Nonesuch Formation, northern Michigan. *Ore Geology Reviews*, **11**(1 - 3), 17 - 88.

Hobbs, W. H. (1895a) Barite and manganite from the Lucy mine, Negaunee, Michigan. *American Journal of Science*, **50**, 123-125.

Hobbs, W. H. (1895b) Chloritoid from blocks on the south shore of Michigamme Lake, Michigamme, Michigan. *American Journal of Science*, **50**, 125-127.

Hobbs, W. H. (1896) Chloritoid from Michigan - a correction. *American Journal of Science*, **2**, 87.

Hobbs, W. H. (1899) The diamond fields of the Great Lakes. *Journal of Geology*, **7**, 375-388.

Hoering, T. C. (1976) Molecular fossils from the Pre-cambrian Nonesuch Shale, White Pine, Michigan. *Carnegie Institute of Washington Year Book*, **75**, 806-813.

Hoffman, M. A. (1982) Uranium in archean migmatites, northern Michigan. *U.S. Geological Survey Professional Paper No. 1375*, 36.

Hoffman, M. A. (1987) The Southern Complex: geology, geochemistry, mineralogy and mineral chemistry of selected uranium- and thorium-rich granites. PhD Thesis, Michigan Technological University, 382 p.

Hore, R. E., and R. C. Allen (1915) Mineral resources of Michigan. *Michigan Geological Survey Publication 19, Geological Series 16*.

Hotchkiss, W. O. (1919) Geology of the Gogebic range and its relation to recent mining developments-Part 1. *Engineering Mining Journal*, **108**, 443-452.

- Hubbard, H. A. (1975) Geology of Porcupine Mountains in Carp River and White Pine quadrangles, Michigan. *U.S. Geological Survey Journal of Research*, **3**, 519-528.
- Hubbard, L. L. (1898) Keweenaw Point with particular reference to the felsites and their associated rocks. *Michigan Geological Survey*, VI(II).
- Huber, N. R. (1969) Pink, copper-bearing prehnite from Isle Royale National Park, Michigan. *U.S. Geological Survey Professional Paper 650-D*, 63-68.
- Huber, N. K. (1983) Pink prehnite from Michigan. A mineral much confused. *Rocks and Minerals*, **58**(3), 132-134.
- Hunt, J. M. (1979) *Petroleum Geochemistry and Geology*. W.H. Freeman and Company.
- Irving, R. D. (1874) On the age of the copper-bearing rocks of Lake Superior; and on the westward continuation of the Lake Superior synclinal. *American Journal of Science*, **8**, 45-56.
- Irving, R. D., and C. R. Van Hise (1892) The Penokee iron-bearing series of Michigan and Wisconsin. *U.S. Geological Survey Monograph 19*.
- Ivanov, A. V., M. E. Zolensky, A. Saito, K. Ohsumi, S. V. Yang, N. N. Kononkova, and T. Mikouchi (2000) Florenskyite, FeTiP, a new phosphide from the Kaidun meteorite. *American Mineralogist* **85**, 1082-1086.
- Jackson, C. T. (1845) On the copper and silver of Keweenaw (sic) Point, Lake Superior. *American Journal of Science*, **49**, 81-93.
- Jackson, C. T. (1849) Report on the geological and mineralogical survey of the mineral lands in the United States in the State of Michigan. *U.S. Congress, 1st Session, House Executive Document* **5**, 371-502.
- James, B. M. (1995) Michigan's Kona Dolomite. *Rock and Gem*, **25**(6), 72 -75.
- James, H. L. (1953) Origin of the soft iron ores of Michigan. *Economic Geology*, **48**, 726-728.
- James, H. L. (1954) Geology of the Menominee and Iron River-Crystal Falls districts, Michigan. *Minnesota University Center Continuation Study, 4th mining geology symposium, April 1954*, 9-13.
- James, H. L. (1955) Zones of regional metamorphism in the Precambrian of northern Michigan. *Geological Society of America Bulletin*, **66**, 1455-1488.
- James, H. L. (1961) Iron formation and associated rocks in the Iron River district, Michigan. *Geological Society of America Bulletin*, **62**, 251-266.
- James, H. L., L. D. Clark, C. A. Lamey, and F. J. Pettijohn (1961) Geology of central Dickinson County, Michigan. *U.S. Geological Survey Professional Paper 310*.
- James, H. L., and C. E. Dutton (1951) Geology of the northern part of the Iron River district, Iron County, Michigan. *U.S. Geological Survey Circular 120*.
- James, H. L., C. E. Dutton, F. J. Pettijohn, and K. L. Wier (1968) Geology and ore deposits of the Iron River-Crystal Falls district, Iron County, Michigan. *U.S. Geological Survey Professional Paper 570*.
- James, H. L., and K. L. Wier (1948) Magnetic survey and geology of the eastern and southeastern parts of the Iron River district, Iron County, Michigan. *U.S. Geological Survey Circular 26*.
- Johnson, A., N. Scofield, and V. Doane (1981) Geology and Mineralogy of northern Michigan phosphorites (abstract). *24th Annual Institute of Lake Superior Geology*, **18**.
- Johnson, A. M. (1973) Economics and geology of Michigan building stones (paper with abstract). *American Institute of Mining, Metallurgical and Petroleum Engineers - Upper Peninsula annual section meeting, May 10-11, 1973*. Michigan Technological University, Houghton, Michigan.
- Johnson, A. M., and H. O. Sorenson (1980) Evaluation of high purity limestones in northern Michigan (abstract). *Geological Society of American Abstracts with Programs*, **12**(5), 230.
- Johnson, A. M., and H. O. Sorenson (1981) Evaluation of high-purity limestones and dolostones in northern Michigan. *Geological Society of America Bulletin*, **92**(1), 634-640.
- Johnson, R. C., T. J. Bornhorst, and J. L. VanAlstine (1986) Geology and precious metal mineralization of the Silver Creek to Rocking Chair Lakes area, Marquette County, Michigan (abstract). *32nd Annual Institute of Lake Superior*

Geology, Abstracts, 35-36.

Johnson, R. C., T. J. Bornhorst, and J. L. VanAlstine (1987) Geology and precious metal mineralization of the Hill's Lakes Area, Marquette County, Michigan (abstract). *32nd Annual Institute of Lake Superior Geology Proceedings and Abstracts*, **33**(1), 32-33.

Johnson, R. C. (editor), T. J. Bornhorst, P. K. Sims, and L. M. H. Carter (1991) Archean geology of the northern block of the Ishpeming greenstone belt, Marquette County, Michigan. *U.S. Geological Survey Bulletin 1904*.

Johnson, A., N. Scofield, and V. Doane (1978) Geology and mineralogy of northern Michigan phosphorites (abstract). *24th Institute of Lake Superior Geology, Proceedings and Abstracts*, **18**.

Johnstone, A. Y. (1979) Cranbrook Institute of Science, Bloomfield Hills, Michigan. *Rocks and Minerals*, **54**(5), 198-202.

Jolly, W. T., and R. E. Smith (1972) Degradation and metamorphic differentiation of the Keweenawan lavas of northern Michigan, U.S. A. *Journal of Petrology*, **13**, 273-309.

Jopling, J. E. (1897) The Marquette Range-its discovery, development and resources. *A.I.M.E. Transcript*, **27**, 541-555.

Julland, J. D. (1965) Mineralization of the Mount Bohemia intrusive, Keweenaw County, Michigan. M. S. thesis, Michigan Technological University.

Kalliokoski, J. (1975) Chemistry and mineralogy of Pre-cambrian paleosols in northern Michigan. *Geological Society of America Bulletin*, **86**, 371-376.

Kalliokoski, J. (1976) Uranium and thorium occurrences in Precambrian rocks, Upper Peninsula of Michigan and northern Wisconsin, with thoughts on other possible settings (report). *U.S. Energy Research and Development Administration, Grand Junction, Colorado, contract AT(05-1)-1651*, 294 p.

Kaufman, D. W., and C. B. Slawson (1950) Ripple marks in rock salt of the Salina formation. *Journal of Geology*, **58**, 24-29.

Keller, H. F., and A. C. Lane (1891) Chloritoid von Champion, Michigan U.S.A. *Zeitschrift für Krystallographie*, **19**, 383-385.

Kelly, W. A., and E. L. Beutner (1930) Heavy minerals from some Pennsylvanian sandstones of Michigan. *Michigan Academy of Science Papers*, **14**, 471-474.

Kelly, W. C., and G. K. Nishioka (1985) Precambrian oil inclusions in late veins and the role of hydrocarbons in copper mineralization at White Pine, Michigan. *Geology*, **13**(5), 334-357.

Kelly, W. C., R. O. Rye, and A. Livnat (1986) Saline mine waters of the Keweenaw Peninsula, northern Michigan: their nature, origin, and relation to similar deep waters in Precambrian crystalline rocks of the Canadian shield. *American Journal of Science*, **286**, 281-308.

Kemp, J. (1980) The A. E. Seaman Mineralogical Museum, Michigan Technological University, Hough-ton, Michigan. *Rocks and Minerals*, **55**(6), 256-260.

Klasner, J. S., D. W. Snider, W. F. Cannon, and J. F. Slack (1979) The Yellow Dog peridotite and possible buried igneous complex of Lower Keweenawan age in the northern peninsula of Michigan. *Michigan Geological Survey, Report of Investigation 24*.

Klein, I. (1939) Microcline in the native copper deposits of Michigan. *American Mineralogist*, **24**, 643-650.

Koenig, G. A. (1900) On mohawkite, stibiodomeykite, algodonite and some artificial copper-arsenides. *American Journal of Science*, **10**, 439-448.

Koenig, G. A. (1902) On the new species melanochalcite and keweenawite. With notes on some other known species. *American Journal of Science*, **14**, 404-416.

Koenig, G. A. (1903) On artificial production of crystallized domeykite, algodonite, argentodomeykite and stibiodomeykite. *American Phil. Society Proceedings*, **42**, 229-237.

Koenig, G. A., and L. L. Hubbard (1893) On powellite from a new locality. *American Journal of Science*, **46**, 356-358.

Kolata, D. R., W. D. Huff, and S. M. Bergstrom (1996) Ordovician K-bentonites of eastern North America. *Geological*

Society of America Special Paper 313, 44-46.

Kraus, E. H. (1905a) On the origin of the sulphur deposits at the Woolmith quarry, Monroe County, Michigan. *Michigan Academy of Science 7th Report*, 26-29.

Kraus, E. H. (1905b) Occurrence and distribution of celestite-bearing rocks. *American Journal of Science*, **19**, 286-293.

Kraus, E. H. (1924) Some unusual specimens of "float" copper. *American Mineralogist*, **9**, 23-26.

Kraus, E. H., and W. F. Hunt (1906a) Das Vorkommen von Schwefel und Colestin bei Maybee, Michigan. *Zeitschrift fur Krystallographie*, **42**, 1-7.

Kraus, E. H., and W. F. Hunt (1906b) The occurrence of sulphur and celestite at Maybee, Michigan. *American Journal of Science*, **21**, 237-244.

Kraus, E. H., W. A. Seaman, and C. B. Slawson (1930) Seamanite, a new manganese phosphoborate from Iron County, Michigan. *American Mineralogist*, **15**, 220-225.

Kustra, C. R. (1961) Manganese-bearing minerals at the Cannon mine, Iron River, Michigan. M.S. thesis, Michigan Technological University.

Laberge, G. L. (1964) Development of magnetite in iron-formations of the Lake Superior region. *Economic Geology*, **59**, 1313-1342.

Lamey, C. A. (1931) Granite intrusions in the Huronian formations of northern Michigan. *Journal of Geology*, **39**, 288-295.

Lamey, C. A. (1934) Some metamorphic effects of the Republic granite. *Journal of Geology*, **42**, 248-263.

Lamey, C. A. (1935) The Palmer gneiss. *Geological Society of America Bulletin*, **46**, 1137-1162.

Landes, K. K. (1960a) The geology of salt deposits. In *Sodium Chloride*, edited by D. W. Kaufmann, 28-69. Reinhold.

Landes, K. K. (1960b) Salt deposits of the United States. In, *Sodium Chloride*, edited by D.W. Kaufmann, 70-95. Reinhold.

Landes, K. K. (1962) Chemical and metallurgical limestone in northern and northeastern states and Ontario. *AJMK Transactions*, **223**, 174-179.

Landesmuseums Joanneum (1996) Sammlungs-zugange 1992, 1993, 1994 und 1995 an der Abteilung fur Mineralogie des Landesmuseums Joanneum. *Mitteil-ungen der Abteilungen fur Mineralogie am Landes-museum Joanneum*. Heft 60-61, Graz, Austria, p. 110.

Lane, A. C. (1900) Geological report of Huron County, Michigan. *Michigan Geological Survey*, III(II).

Lane, A. C. (1904) Historical Review of the Geology of Michigan. *Annual Report of the Michigan Academy of Science (1916) (1904)*, 184 - 195.

Lane, A. C. (1907) Genetic relations of some granitic dikes. *Geological Society of America Bulletin*, **18**, 644-648.

Lane, A. C. (1908a) Mine waters. *Lake Superior Mineralogical Institute Proceedings*, **12**, 154-163.

Lane, A. C. (1908b) Mine waters and their field assay. *Geological Society of America Bulletin*, **19**, 501-512.

Lane, A. C. (1911) The Keweenaw series of Michigan. *Michigan Geological Survey Publication 6, Geological Series 4*, 1, II.

Lane, A. C. (1917) Origin of the mirabilite from the Isle Royale mine. *American Mineralogist*, **2**, 63-64.

Lane, A. C. (1924) Native silver in an iron mine. *Geological Society of America Bulletin*, **35**, 127-128.

Lane, A. C., H. F. Keller, and F. F. Sharpless (1891) Notes on Michigan minerals. *American Journal of Science*, **42**, 499-508.

Lankton, L. (1991) Cradle to Grave: life, work, and death at the Lake Superior copper mines. Oxford University Press, New York.

Lankton, L. (1997a) Keweenaw Copper: mines, mills, smelters, and communities. Society for Industrial Archaeology, Department of Social Sciences, Michigan Technological University.

- Lankton, L. (1997b) Beyond the boundaries: life and landscape at the Lake Superior copper mines, 1840 -1875. Oxford University Press, New York.
- Lassin, R. (1998) Base metal, uranium, and manganese mineralization of post oxidized Riverton Iron Formation in Iron County, Michigan (abstract). *Abstracts with Programs - Geological Society of America*, **30** (7), A-368.
- Lehman, G. A. (1987) U-Pb dating of pitchblende from Dickinson County, Upper Michigan, suggests reactivation of Precambrian structures during formation of the Michigan Basin (abstract). *Institute of Lake Superior Geology Proceedings and Abstracts*, **33**(1), 37-38.
- Leith, C. K. (1904) The Lake Superior iron region during 1903. *U.S. Geological Survey Bulletin*, **225**, 215-220.
- Leonardson, R. W. (1966) Petrology of the Bergland rhyolite, the Firetower rhyolite, and associated rocks, Ontonagon county, Michigan. M. S. thesis, Michigan Technological University.
- Livnat, A. (1983) Metamorphism and copper mineralization of the Portage Lake Lava Series, northern Michigan. Ph. D. thesis, University of Michigan.
- Long, R. A., R. A. Vehrs, and A. Sahakian (1960) An examination of part of the southern complex near Palmer, Marquette County, Michigan. *Michigan Academy of Science Papers*, **45**, 119-124.
- MacFall, R. P. (1983) Michigan Copper Country. *Rocks and Minerals*, **58**(3), 121-124.
- Maguire, D. W. (1986) The Michigan gold belt. *Mineralogical Record*, **17**, 117-121.
- Maki, J. C. (1999) The Gratiot chalcocite deposit, Keweenaw Peninsula, Michigan. M.S. Thesis, Michigan Technological University.
- Mancuso, J. J., M. S. Lougheed, and R. Shaw (1975) Carbonate-apatite in Precambrian cherty iron-formation, Baraga County, Michigan. *Economic Geology*, **70**, 583-586.
- Mandarino, J. A. (1948) Neebish Island, Michigan. *Rocks and Minerals*, **23**, 395.
- Mandarino, J. A. (1950) The minerals of the Champion, Michigan, area. *Rocks and Minerals*, **25**, 563-565.
- Mandarino, J. A. (1999) Fleischer's Glossary of Mineral Species 1999, 8th edition. Mineralogical Record, Tucson, Arizona, 225p.
- Mann, V. I. (1953) The relation of oxidation to the origin of soft iron ores of Michigan. *Economic Geology*, **48**, 251-281.
- Mann, V. I. (1954) Origin of soft iron ores of Michigan-a reply. *Economic Geology*, **49**, 439-440.
- Mariotti, P. A. (1981) Vein controlled, surf induced, spheroidal weathering in harzburgite, Presque Isle, Marquette, Michigan (abstract). *Geological Society of America Abstracts with Programs*, **13**(6), 288.
- Markart, K. D. (1975) Opaque minerals and associated silicates in differentiated and undifferentiated Keweenawan lavas. M. S. thesis, University of Wisconsin.
- Markert, R. (1960) Rockhounds paradise-U.S.A. *Earth Science*, **13**(3), 101-103.
- Markert, R. (1961) Kona dolomite. *Earth Science*, **14**(3), 107-109.
- Martin, H. M. (1964) Salt for a million years. *Michigan Geological Survey Bulletin*, **1**, 65-70.
- Martin, S. R. (1999) Wonderful Power: the story of ancient copper working in the Lake Superior Basin. Wayne State University Press, Detroit.
- Mathews, R. D. (1970) The distribution of Silurian potash in the Michigan Basin (abstract), *6th Forum on Industrial Minerals, Michigan Geological Survey, Miscellany 1*, 20-33.
- Mattson, S. R., J. W. Gell, and J. T. Wilband (1986) Chromium-rich basal pillow lavas of the Keweenawan Siemens Creek Formation, northern Michigan (abstract). *32nd Annual Institute of Lake Superior Geology, Abstracts*, 55.
- Mauk, J. L., and G. B. Hieshima (1992) Organic matter and copper mineralization at White Pine, Michigan, U.S.A. *Chemical Geology*, **99**(1 - 3), 189 - 211.
- McCallister, R. H., N. Z. Boctor, and W. J. Hinze (1978) Petrology of the spilitic rocks from the Michigan basin deep drill hole. *Journal of Geophysical Research*, **85**, 5825-5831.

- McConnell, D., and W. L. Pondrom, Jr. (1941) X-ray crystallography of seamanite. *American Mineralogist*, **26**, 446-447.
- McGee, E. S. (1984) The Lake Ellen kimberlite, Michigan, U.S.A. In *Kimberlites; I. Kimberlites and Related Rocks* (J. Kornprobst, ed.). Elsevier Science Publication **11 A**. 143-154.
- McGee, E. S., and B. C. Hearn, Jr, (1983) Lake Ellen kimberlite, Michigan, U.S.A. *U.S. Geological Survey Open-File Report 83-156*.
- Medici, J. C. (1983) Celestite and sulfur from southeastern Michigan. *Rocks and Minerals*, **58**(3), 125-128.
- Meinschein, W. G., E. S. Barghoorn, and J. W. Schopf (1964) Biological remnants in a Precambrian sediment. *Science*, **145**, 262-263.
- Michigan College of Mines (1905) Notes on the Rocks and Minerals of Michigan. Michigan College of Mines, Houghton.
- Mihelcic, J. F. (1954) Collecting Michigan minerals. *Earth Science Digest*, **7**(7), 7-10.
- Moore, P. B. (1962) Copper arsenides at Mohawk, Michigan. *Rocks and Minerals*, **37**, 24-26.
- Moore, P. B. (1965) Cell data of orientite and its relation to ardenite and zoisite. *Canadian Mineralogist*, **9**, 262-265.
- Moore, P. B. (1971) Copper-nickel arsenides of the Mohawk No. 2 mine, Mohawk, Keweenaw County, Michigan. *American Mineralogist*, **56**, 1319-1331.
- Moore, P. B., and R. Beger (1963) Micromounting at the Keweenaw Peninsula, Michigan. *Rocks and Minerals*, **38**, 468-471.
- Moore, P. B., J. Ito, and I. M. Steele (1979) Macfallite and orientite: calcium manganese (III) silicates from upper Michigan. *Mineralogical Magazine*, **43**, 325-331.
- Morris, T., Jr. (1983) Michigan mineralogy: a locality index. *Rocks and Minerals*, **58**(3), 107-113.
- Mortenson, F. N. (1953) MMS Field trip to Michigan's Upper Peninsula. *Rocks and Minerals*, **28**, 591-596.
- Mortenson, F.N. (1975) Selenite crystals of the Bristol mine. *Earth Science*, **75**, 125 - 131.
- Murdoch, A. (1943) Boom Copper. MacMillan Co.
- Murdoch, J. (1916) *Microscopical Determination of the Opaque Minerals*. John Wiley.
- Murgoci, G. M. (1901) Über die Einschlüsse von Granat-Vesuvianfells in dem Seaentin des Paringu-Massivs. *Bul. Society Stiinte Bucuresti*, **9**, 1-113.
- Naski, G. C. (1982) The identification and documentation of vivianite. *Grand Valley State College Department of Geology MS report*, 15 p.
- Newett, G. A. (1899) Mines and mineral statistics for the year 1898. Michigan Comm. Mineral Statistics.
- Nishioka, G. K., W. C. Kelly, and R. D. Elmore (1984) Copper occurrences in stromatolites of the Copper Harbor Conglomerate, Keweenaw Peninsula, Northern Michigan. *Economic Geology*, **79**, 1393-1399.
- Nordstrom, P. M. (1999) Geologic field trip to the Empire mine. *45th Annual Institute on Lake Superior Geology, Part 2: Field Trip Guidebook*, 129 - 134.
- Nurmi, R. D., and G. M. Friedman (1977) Sedimentology and depositional environments of basin-center evaporites, Lower Salina Group (Upper Silurian), Michigan. *A.A.P.G. Studies in Geology*, **5**, 23-52.
- Ojakangas, R. W. (1983) Tidal deposits in the early Prot-erobic basin of the Lake Superior region-the Palms and the Pokegama Formations: Evidence for subtidal-shelf deposition of Superior-type banded iron formation. *Geological Society of America Memoir 160*, 49-66.
- Olcott, P. G. (1992) Groundwater Atlas of the United States, Segment 9, Iowa, Michigan, Minnesota, Wisconsin, p. 17. *United States Geological Survey*.
- Olson, D. K. (1986) Michigan silver. *Mineralogical Record*, **17**, 37-48.
- Osborn, W., D. Matty, M. Velbel, P. Brown and J. Wacker (1997) Fall, recovery and description of the Coleman chondrite. *Meteoritics and Planetary Science*, **32**(6), 781 - 790.

- Ossan, A. (1895) Ueber Datolith un die ihn begleitend Mineralien vom Lake Superior. *Zeitschrift fur Krystallographi*, **8d**, 24, 543.
- Page, M. L. (1992) Petrography of Champion Mine Dump Samples. Internal Report, Western Mining Corporation. Lakewood, Colorado.
- Palache, C. (1898) The crystallization of the calcite from the copper mines of Lake Superior. *Michigan Geological Survey*, VI(III), Appendix, 161-184.
- Palache, C. (1899) Powellite crystals from Michigan. *American Journal of Science*, **7**, 367-369.
- Palache, C. (1944) Crystallography of calcite from Lake Superior copper mines. *American Mineralogist*, **29**, 35-48.
- Palache, C., H. Berman, and C. Frondel (1944) The System of Mineralogy, Volume I. John Wiley.
- Palache, C., H. Berman, and C. Frondel (1951) The System of Mineralogy, Volume 11. John Wiley.
- Palache, C., and H. E. Vassar (1925) Some minerals of the Keweenaw copper deposits: pumpellyite, a new mineral; sericite; saponite. *American Mineralogist*, **10**, 412-418.
- Pantell, H. (1976) The story of the Ontonogan copper boulder. *Mineralogical Record*, **7**(5), 207-210.
- Pardee, F. G. (1964) Michigan's mythical gold mines. *Michigan Geological Survey Bulletin*, **1**, 49-51.
- Parker, B. K. (1981) Rare earth and related elements in the Goodrich Quartzite, Marquette County, Michigan. *Michigan Geological Survey MS Report*, 21 p.
- Peck, A. B. (1917) Mirabilite from the Isle Royale copper mine, Houghton, Michigan. *American Mineralogist*, **2**, 62 - 64.
- Penfield, S. L. (1885) Crystals of analcite from the Phoenix mine, Lake Superior copper region. *American Journal of Science*, **30**, 112 - 113.
- Penfield, S. L. and F. L. Sperry (1886) On pseudomorphs of garnet from Lake Superior and Salida, Colorado. *American Journal of Science*, **32**, 307 - 311.
- Peterman, J. F., D. Droege, A. M. Johnson, and J. VanAlstine (1987) Geological and geophysical investigation of graphite resources in upper Michigan (abstract) *Institute of Lake Superior Geology Proceedings and Abstracts*, **33**(1), 53-54.
- Peterson, J. W., and C. A. Geiger (1990) The Hardwood Gneiss: evidence for high P-T Archean metamorphism in the southern province of the Lake Superior region. *Journal of Geology*, **98**(2), 273 - 281.
- Pettijohn, F. J. (1952) Geology of the northern Crystal Falls area, Iron County, Michigan. *U.S. Geological Survey Circular* 153.
- Picot, D., and Z. Johan (1977) Kamiokite. *Atlas Mineraux Metall. Mem. Bur. Rech. Geol. Min. No. 90 -1977*, 219.
- Poindexter, O. F., H. M. Martin, and S. G. Bergquist (1939) Rocks and Minerals of Michigan. *Michigan Geological Survey Publication* 42. (Also *Bulletin* 2, 1965, and Hillsdale Educational Publications, 1971).
- Poindexter, O. F., and R. B. Newcombe (1928) Mineral resources of Michigan. Part II. Non-metallic minerals. *Michigan Geological Survey Publication* 37, *Geological Series* 31.
- Pough, F. H. (1937) Crystallized powellite from Tonopah, Nevada. (Note on powellite from Isle Royale mine, Houghton, Michigan, by C. Palache). *American Mineralogist*, **22**, 57-64.
- Pratt, W. P. (1954) Some mineral localities in central Dickinson County, Michigan. *Rocks and Minerals*, **29**, 345-350.
- Pueschner, U., S. T. Schmidt, and T. J. Bornhorst (1999) Low-grade metamorphism and hydrothermal alteration of the upper Keweenawan Portage Lake Volcanics, Michigan - newest results (abstract). *45th Annual Institute on Lake Superior Geology, Part 1: Program and Abstracts*, Marquette, Michigan, May, 1999, 49-50.
- Puffet, W. P. (1966) Occurrences of base metals south of Dead River, Negaunee quadrangle, Marquette County, Michigan. *12th Annual Institute on Lake Superior Geology*, 18.
- Puffet, W. P. (1969) The Reaney Creek Formation, Marquette County, Michigan. *U.S. Geological Survey Bulletin* 1274-F.

- Puffet, W. P. (1974) Geology of the Negaunee quadrangle, Marquette County, Michigan. *U.S. Geological Survey Professional Paper* 788.
- Pumpelly, R. (1871) The paragenesis and derivation of copper and its associates on Lake Superior. *American Journal of Science*, **2**, 243-258.
- Pumpelly, R. (1873) Upper Peninsula of Michigan 1869-1873. Copper District. *Michigan Geological Survey*, I(II), 1-143.
- Pumpelly, R. (1875) On pseudomorphs of chlorite after garnet at the Spurr Mountain iron mine, Lake Superior. *American Journal of Science*, **10**, 17-21.
- Quigley, T. O., and R. A. Mahin (1999) Examples of gold mineralization in the northern block of the Ishpeming Greenstone belt. *45th Annual Institute on Lake Superior Geology, Part 2: Field Trip Guidebook*, 97 - 106.
- Ramsdell, L. S. (1929) An X-ray study of the domeykite group. *American Mineralogist*, **14**, 188-196.
- Ramsdell, L. S. (1932) An X-ray study of psilomelane and wad. *American Mineralogist*, **17**, 143-147.
- Reed, R. C. (1965) Copper mineralization in Animikie sediments of the Marquette Range, Marquette County, Michigan. M. S. thesis, Michigan State University.
- Reed, R. C. (1967a) Copper mineralization in Animikie sediments of the eastern Marquette Range, Michigan (abstract). *13th Annual Institute Lake Superior Geology*, 34-35.
- Reed, R. C. (1967b) Copper mineralization in Animikie sediments of the eastern Marquette range, Marquette County, Michigan. *The Compass*, **45**(1), 47-55.
- Regis, R. S., and J. B. Anderton (1999) Paleozoic and Pleistocene geology from Au Train to Grand Marais, Michigan. *45th Annual Institute on Lake Superior Geology, Part 2: Field Trip Guidebook*, 142 - 176.
- Rentmeister, J. R. (1974) Microcrystal collecting in Keweenaw County, Michigan, *Gems and Minerals*, March Issue, 24-28.
- Rexin, B. (1958) Midwest Club News. *Earth Science*, **11**(6), 6.
- Rexin, B. (1959) Midwest Club News. *Earth Science*, **11**(6), 185.
- Rexin, B. (1960) Midwest Club News. *Earth Science*, **13**(5), 187.
- Rexin, B. (1961) Midwest Club News. *Earth Science*, **14**(5), 226.
- Rexin, B. (1965) Midwest Club News. *Earth Science*, **18**(1), 35.
- Richards, J.W. (1901) "Mohawkite." *American Journal of Science*, **11**, 457-458.
- Richarz, S. (1927a) The amphibole grünerite [sic] of the Lake Superior region. *American Journal of Science*, **14**, 150-154.
- Richarz, S. (1927b) The relation of French and American grunerites to similar ferromanganese amphiboles of Sweden. *American Mineralogist*, **12**, 351-353.
- Richarz, S. (1927c) Grunerite rocks of the Lake Superior region and their origin. *Journal of Geology*, **35**, 690-707.
- Richarz, S. (1932) Note on grunerite from the Lake Superior region. *American Mineralogist*, **17**, 437-442.
- Rickard, T. A. (1905) The copper mines of Lake Superior. In *Engineering and Mining Journal*, 164p.
- Rickard, T. A. (1932) A History of American Mining. McGraw-Hill.
- Robbins, E. L., J. E. Tilk, R. D. Congdon, H. T. Evans, Jr., C. D. Gullett, M. B. Sanders, M. Sato, H. T. Schaef, and R. R. Seal II (1994) Association of microbes with authigenic copper-chloride mineral films (atacamite and paratacamite) and petroleum residue at depth in the White Pine copper mine, Michigan (abstract). *Program -with Abstracts - Geological Association of Canada*, **19**, page 94.
- Robertson, J. M. (1972) Geology and mineralogy of some copper sulfide deposits, Keweenaw County, Michigan. Ph. D. thesis, University of Michigan.
- Robertson, J. M. (1975) Geology and mineralogy of some copper sulfide deposits near Mount Bohemia, Keweenaw County, Michigan. *Economic Geology*, **70**, 1202-1224.

- Robinson, S. M. (2000) Copper Country artist, James Billings. *Rocks and Minerals*, **75**(4), 229-230.
- Rominger, C. L. (1876) Lower Peninsula 1873-1876, geology of lower peninsula. *Michigan Geological Survey*, III(I), 104-105.
- Rominger, C. L. (1881) Upper peninsula 1878-1880, Marquette iron region. *Michigan Geological Survey*, IV(I), Menominee iron region, Part 11.
- Rominger, C. L. (1895) Geological report on the Upper Peninsula of Michigan, 1881-1884. Iron and copper regions. *Michigan Geological Survey*, V(I).
- Rosemeyer, T. (1990) Through the 'scope; microminerals of the Caledonia mine, Ontonagon County, Michigan. *Rocks and Minerals*, **65**(3), 240 - 243.
- Rosemeyer, T. (1999) The History, Geology, and Mineralogy of the White Pine mine, Ontonagon County, Michigan. *Rocks and Minerals*, **74**(3), 160-176.
- Rosemeyer, T., and S. M. Carlson (2000) Mineralogy of Point Prospect, Keweenaw County, Michigan. *Rocks and Minerals*, **75**(4), 222-228.
- Rosemeyer, T. (2003a) The occurrence of porcelaneous datolite in Michigan's Lake Superior Copper District: Part I: Northern Keweenaw County and Isle Royale National Park. *Rocks and Minerals*, **78**(3), 170-187.
- Rosemeyer, T. (2003b) The occurrence of porcelaneous datolite in Michigan's Lake Superior Copper District: Part II: Southern Keweenaw, Houghton and Ontonagon Counties, Michigan. *Rocks and Minerals*, (in press).
- Rosemeyer, T. (2003c) The history and mineralogy of the Indiana mine, Ontonagon County, Michigan. *Rocks and Minerals*, (in press).
- Rosendahl, A. F. (1966) Copper country waste piles bonanzas to specimen hunters. *Earth Science*, **19**(2), 69-70.
- Ruotsala, A. P., G. J. Koons, and S. C. Nordeng (1966) Clay minerals in glacial deposits, Houghton, Baraga, and Ontonagon Counties, Michigan (abstract). *American Mineralogist*, **51**, 1563.
- Ruotsala, A. P., and M. L. Wilson (1977) Kinoite from Calumet Michigan. *American Mineralogist*, **62**, 1032-1033.
- Schaller, W. T. (1915) The supposed vanadic oxide from Lake Superior is copper oxide. *American Journal of Science*, **39**, 404-406.
- Schick, C. W., J. J. Mancuso, and J. P. Frizado (1996) Supergene uranium mineralization along a sub-cam-brian unconformity, Groveland iron mine, Dickinson County, Michigan. *The Compass*, **73**(1), 32 - 43.
- Schmidt, R. G. (1980) The Marquette Range Supergroup in the Gogebic iron district, Michigan and Wisconsin. *U.S. Geological Survey Bulletin* **1460**.
- Schmidt, R. G., and V. A. Trent (1969) Mafic dikes in the Precambrian rocks of Gogebic County, Michigan (abstract). *15th Annual Institute of Lake Superior Geology Technical Session Abstracts*, 31-33.
- Schoolcraft, H. R. (1824) Notice of a recently discovered copper mine on Lake Superior, with several other localities of minerals. *American Journal of Science*, **18**, 43-49.
- Schulz, K. J., P. K. Sims, and Z. E. Peterman (1988) A post-tectonic rare-metal-rich granite in the Southern Complex, Upper Peninsula, Michigan (abstract). *Institute of Lake Superior Geology, 34th Annual Meeting, Proceedings and Abstracts*, **34**(1), 95-96.
- Schwartz, G.M. (1936) Magnetite metacrysts. *American Mineralogist*, **21**, 635-641.
- Schwartz, G. M., and A. C. Forsyth (1937) Natural versus artificial textures of copper arsenides. *Economic Geology*, **32**, 896-905.
- Scofield, N. (1976) Mineral chemistry applied to interrelated albitization, pumpellyiteization, and native copper redistribution in some Portage Lake basalts, Michigan. Ph. D. thesis, Michigan Technological University.
- Scott-Smith Petrology (1995) Petrography of some samples from northeastern U.S.A. *Confidential Report No. SSP-95-8/3*, prepared for Ashton Mining of Canada by Scott-Smith Petrology, North Vancouver, B.C.
- Segerstrom, K., and W. H. Raymond (1966) Preliminary results of geochemical prospecting in northern Michigan. *U.S. Geological Survey Professional Paper 550-D*, 186-189.

- Selfridge, G. C., Jr. (1936) An X-ray and optical investigation of the serpentine minerals. *American Mineralogist*, **21**, 463-503.
- Sharma, G. D. (1966) Geology of Peters Reef, St. Clair County, Michigan. *American Association of Petroleum Geology Bulletin*, **50**, 327-350.
- Sherzer, W. H. (1895) Native sulphur in Michigan. *American Journal of Science*, **50**, 246-248.
- Sherzer, W. H. (1900) Lower Peninsula 1896-1900. *Geological report on Monroe County, Michigan*, VII(1).
- Sims, P. K. (1992) U. S. Geological Survey Miscellaneous Investigations Series, Geological Map of Precambrian Rocks, Southern Lake Superior Region, Wisconsin, and Northern Michigan. *MAP I-2185, sheet 2*.
- Sims, P. K., Z. E. Peterman, W. C. Prinz, and F. C. Benedict (1984) Geology, geochemistry, and age of Archean and Early Proterozoic rocks in the Marenisco-Watersmeet area, northern Michigan. *U.S. Geological Survey Professional Paper 1292-A*.
- Sinkankas, J. (1976) Gemstones of North America in two volumes: Volume II. Van Nostrand Reinhold Co., New York, 494p.
- Skinner, B. J., and F. D. Luce (1971) Stabilities and compositions of α -domeykite and algodonite. *Economic Geology*, **66**, 133-139.
- Slaughter, D. (1999) On two remarkable unremarkable mineral specimens. *Arrowhead News, Indian Mounds Rock and Mineral Club, Wyoming, Michigan*, **35**(2), 16-18.
- Slawson, C. B. (1934) Sussexite from Iron County, Michigan. *American Mineralogist*, **19**, 575-578.
- Slawson, C. B. (1936) High iron tourmaline from the Marquette iron range (abstract). *American Mineralogist*, **21**, 195.
- Slawson, C. B. (1937) An occurrence of large halite crystals (abstract). *American Mineralogist*, **23**, 179.
- Sliter, T. W. (1970) The Empire mine and mill, Palmer, Michigan. *Geological Society of America North-Central Section Field Excursions, 1970*, 165-169.
- Smith, R. A. (1912) Gypsum and gypsum products. *Mineral resources of Michigan, Michigan Geological Survey Publication 8, Geological Series 6*, 305-314.
- Smith, R. A. (1915a) Non-metallic minerals. *Mineral resources of Michigan, Michigan Geological Survey Publication 19, Geological Series 16, Part 11*, 247-351.
- Smith, R. A. (1915b) Limestones of Michigan. *Michigan Geological Survey Publication 21, Geological Series 77*, 101-311.
- Smith, R. A. (1918) Non-metallic minerals. *Mineral Resources of Michigan for 1917 and prior years. Michigan Geological Survey Publication 27, Geological Series 22*.
- Snelgrove, A. K., W. A. Seaman, and V. L. Ayres (1944) Strategic minerals investigations in Marquette and Baraga Counties 1943. *Michigan Geological Survey Progress Report 10*.
- Snider, D. W. (1977a) Investigation of a reported silver showing in section 30, T50N, R26W, Marquette County, Michigan. *Michigan Geological Survey Open File Report 77-2*.
- Snider, D. W. (1977b) Results of analyses performed on a carbonate-apatite unit of the Michigamme Formation from the Huron River area. *Michigan Technological University, Institute of Mineral Resources, MS report.*, 3.
- Spiridonov, E. M., V. N. Apollonov, and V. I. Pokusaev (1994) New minerals of Bi-Pb-Te-S and aleksite, kochkarite, rucklidgeite in contact metamorphosed Kochkar gold deposit at Southern Urals. *International Mineralogical Association, Abstracts*. 390-391.
- Spiroff, K. (1937a) An unusual occurrence of halite. *American Mineralogist*, **22**, 931-933.
- Spiroff, K. (1937b) Unusual occurrence of halite. *Rocks and Minerals*, **12**, 176.
- Spiroff, K. (1938) A mineralogical trip through the Michigan copper country. *Rocks and Minerals*, **13**, 133-143.
- Spiroff, K. (1940) A mineralogical trip through the Michigan iron ranges. *Rocks and Minerals*, **15**, 291-297.
- Spiroff, K. (1950) Seneca calcite. *Rocks and Minerals*, **25**, 466.

- Spiroff, K. (1964) Guidebook for Mineral Collectors in the Keweenaw Copper Country. Michigan Technological University Press.
- Squire, G. R. (1972) *A field guide to the geology of southwestern Michigan*. Western Michigan University Department of Geological Publications ES-1, 1972.
- Stakes, D. S. (1978) Mineralogy and geochemistry of the Michigan deep hole metagabbro compared to seawater hydrothermal alteration. *Journal of Geophysical Research*, **85**, 5820-5824.
- Stewart, D., Jr. (1937) An occurrence of detrital authigenic feldspar. *American Mineralogist*, **22**, 1000-1003.
- Stoiber, R. E., and E. S. Davidson (1959) Amygdale mineral zoning in the Portage Lake lava series, Michigan copper district. *Economic Geology*, **54**, 1250-1277, 1444-1460.
- Sukow, W. W. (1987) Inside Lake Superior agates. *Lapidary Journal*, **40**(10), 50 - 56.
- Sukow, W. W. (1990) Inside Lake Superior Agates, part II. *Lapidary Journal*, Vol. **44**(5), 81-86.
- Sukow, W. W. (1991) Enlightening datolite data. *Lapidary Journal*, **45**(1), 34 - 46.
- Sundius, N. (1931) The optical properties of manganese-poor grunerites and cummingtonites compared with those of manganiferous members. *American Journal of Science*, **21**, 330-344.
- Taylor, G. L. (1972) Stratigraphy, sedimentology, and sulfide mineralization of the Kona Dolomite. Ph.D. thesis, Michigan Technological University.
- Taylor, L. D. (1983) Clay mineral composition and magnetic susceptibility in the correlation of Late Wisconsinan tills of the western Michigan shoreline (abstract). *Geological Society of America Abstracts with Programs*, **26**.
- Teschemacher, J. E. (1851) On the vanadium minerals from Lake Superior. *American Journal of Science*, **11**, 233-234.
- Thwaites, R. G. (1899) The Jesuit Relations and Allied Documents. The Burrows Brothers Company, Cleve-land, Ohio.
- Trent, V. (1969) Geologic examination of pipeline trench through the East Gogebic range, Michigan (abstract). *15th Annual Institute of Lake Superior Geology, Technical Session Abstracts*, 37-38.
- Tyler, S. A. (1949) Development of Lake Superior soft iron ores from metamorphosed iron formation. *Geological Society of America Bulletin*, **60**, 1101-1124.
- Tyler, S. A., E. S. Barghoorn, and L. P. Barrett (1957). Anthracitic coal from Precambrian Upper Huronian black shale of the Iron River district, northern Michigan. *Geological Society of America Bulletin*, **68**, 1293-1304.
- Tyler, S. A., R. W. Marsden, F. F. Grout, and G. A. Thiel (1940) Studies of the Lake Superior Precambrian by accessory mineral methods. *Geological Society of America Bulletin*, **51**, 1429-1538.
- Ueck, L. P. (1953) Material used by the southwest Michigan Indians in the flaking of stone artifacts. *Earth Science Digest*, **6**(6), 31-33.
- U.S. Geological Survey (1973) Axinite from the east Gogebic Range, Michigan. *U.S. Geological Survey Professional Paper 850*, 41.
- Vajdak, J. (1997) New mineral finds in 1996. *Mineral News*, **13**(3), 1.
- Vajdak, J. (2000) New mineral finds in the first half of 2000. *Mineral News*, **16**(7), 4.
- Vajdak, J. (2001) New mineral finds in the second half of 2000. *Mineral News*, **17**(1), 1, 4-5.
- Van Hise, C. R. (1887) Note on the enlargement of hornblendes and augites in fragmental and eruptive rocks. *American Journal of Science*, **33**, 385-388.
- Van Hise, C. R., and W. S. Bayley (1897) The Marquette iron-bearing district of Michigan. *U.S. Geological Survey Monograph XXVIII*, 608p.
- Van Hise, C. R., and C. X. Leith (1911) The geology of the Lake Superior region. *U.S. Geological Survey Monograph 52*.
- Velbel, M. A., and D. J. Matty (1996) Petrographic description and classification of the Coleman, Michigan, Meteorite: a new equilibrated ordinary chondrite fall (abstract). *59th annual Meteoritical Society meeting, abstracts*, in *Meteoritics*

& Planetary Science, **31**, A145.

Vickers, R. C. (1955) An occurrence of metatorbernite in Baraga County, Michigan. *U.S. Geological Survey TEM-741*, 14p.

Vickers, R. C. (1956a) Geology and monazite content of the Goodrich Quartzite, Palmer area, Marquette County, Michigan. *U.S. Geological Survey Bulletin*, 1030-F.

Vickers, R. C. (1956b) Origin and occurrence of uranium in northern Michigan (abstract). *Geological Society of America Bulletin*, **67**, 1741.

Vickers, R. C. (1956c) Origin and occurrence of uranium in northern Michigan. *U.S. Geological Survey Open File Report*, 76p.

Vurgrinovich, R. (1984) Lithostratigraphy and depositional environments of the Pennsylvanian rocks and the Bayport Formation of the Michigan basin. *Michigan Geological Survey Report of Investigation 27*.

Wadsworth, M. E. (1893) A sketch of the geology of the iron, gold, and copper districts of Michigan. *State Board of Geological Survey Report 1891-92*, 61-73.

Wardlaw, M. M., and D. T. Long (1982) Mineralogy, chemistry and physical setting of carbonate concretions in the Antrim shale (Devonian, Michigan basin): clues to origin (abstracts). *Geological Society of America Abstracts with Programs*, **14**(5), 291-292.

Weege, R. J., and J. P. Pollock (1971) Recent developments in the native-copper district of Michigan. *Michigan Technological University Society of Economical Geology Guidebook Field Conference of Michigan Copper District*, 19-43.

Weege, R. J., and A. W. Schillinger (1962) Footwall mineralization in Osceola amygdaloid Michigan native copper district. *A.I.M.E. Transactions*, **223**, 344-350.

Westjohn, D. B., D. F. Sibley, and J. A. Eluskie (1991) Authigenic mineral paragenesis in Mississippian and Pennsylvanian sandstone aquifers in the Michigan Basin (abstract). *Abstracts with Programs - Geological Society of America*, **23**(5), 327.

White, J. S., R. V. Dietrich, D. E. Mikkola, and L. Sutter (1992) Cu-Ag eutectic mixture produced in a mineral specimen. Unpublished manuscript (copy on file at A. E. Seaman Mineral Museum, Michigan Technological University, Houghton, Michigan).

White, W. S. (1968) The native copper deposits of northern Michigan. *A.I.M.E. Graton-Sales, Volume 1*, 303 -325.

White, W. S., and J. C. Wright (1954) The White Pine copper deposit, Ontonagon County, Michigan. *Economic Geology*, **49**, 675-716.

White, W. S., and J. C. Wright (1966) Sulfide-mineral zoning in the basal Nonesuch shale, Northern Michigan. *Economic Geology*, **61**, 1171-1190.

Whitney, J. D. (1859) Notice of new localities, and interesting varieties of minerals in the Lake Superior region: supplementary to the one on this subject in Part II of the report of Foster and Whitney. *American Journal of Science*, **28**, 8-20.

Wienert, F. (1933) Formation of martite and other iron oxides in sideritic ore of the Marquette district, Michigan. *Economic Geology*, **28**, 68-74.

Wier, K. L. (1967) Geology of the Kelso Junction quadrangle, Iron County, Michigan. *U.S. Geological Survey Bulletin 1226*.

Wiese, R. G., Jr. (1960) Petrology and geochemistry of a copper-bearing Precambrian shale, White Pine, Michigan. Ph. D. thesis, Harvard University.

Wight, Q. (1998) The curly malachite of Sehwaz-Brix-legg, Tyrol, Austria. *Rocks and Minerals*, **73**, 314 -318.

Wilband, J. T. (1978) The copper resources of northern Michigan. *U.S. Bureau of Mines Contract JO366067, Final Report*.

Willem, J. D. (1958) Thomsonite, the dainty gemstone. *Earth Science*, **11**(6), 12-14.

- Williams, S. A. (1962a) Paramelaconite and associate minerals from the Algoma mine, Ontonagon County, Michigan. *American Mineralogist*, **47**, US-119.
- Williams, S. A. (1962b) Stability relations and paragenesis of copper oxides and chlorides at the Algoma mine, Ontonagon County, Michigan. *Economic Geology*, **57**, 111-113.
- Williams, S. A. (1963a) Crystals of rammelsbergite and algodonite. *American Mineralogist*, **48**, 421-422.
- Williams, S. A. (1963b) Anthonyite and calumetite, two new minerals from the Michigan copper district. *American Mineralogist*, **48**, 614-619.
- Williams, S. A. (1966) Morphological data on some minerals from the Cliff vein, Keweenaw County, Michigan. *Arizona Geological Society Digest*, **8**, 177-181.
- Wilson, C. H. (1967) Melanochalcite from the Algoma mine, Ontonagon County, Michigan. *The Compass*, **45**(1), 45-46.
- Wilson, M. L. (1977) Kinoite from Michigan-new occurrence. *Mineralogical Record*, **8**, 519-520.
- Wilson, M. L., and S. J. Dyl, II (1992) The Michigan Copper Country. *Mineralogical Record*, **23**(2), 4-72.
- Wilson, W. E. (1983a) What's new in minerals? *Mineralogical Record*, **14**, 53.
- Wilson, W. E. (1983b) What's new in minerals? *Mineralogical Record*, **14**, 173-176.
- Winchell, A. N. (1924) Isotropic quartz. *American Mineralogist*, **9**, 235-237.
- Yedlin, N. (1974) Yedlin on Micromounting. *Mineralogical Record*, **5**, 141-143.
- Yin, X., and J. A. Grant (1992) Geochemistry of the meta-diabases in the Republic mine area, northern Michigan. *Proceedings and Abstracts - Institute on Lake Superior Geology*, **38**, 95-97.
- Zeitner, J. C. (1960) Rare gems of the Midwest. *Earth Science*, **13**(2), 58-62.
- Zeitner, J. C. (1964) Midwest Gem Trails. Gembooks Publishers, Mentone, California, 63-68.
- Zimmer, P. W. (1966) A unique intergrowth of calcite and pyrite (abstract). *American Mineralogist*, **51**, 1561.
- Zodac, P. (1947) Trip to Detroit. *Rocks and Minerals*, **22**, 1011-1017.

MERGE WITH ABOVE, REMOVE NUMBERS AND PUT IN CORRECT ALPHA POSITION

1. Aquila Resources, Inc. (2007) website: <http://www.aquilaresources.com/projects.html>.
2. Bell Resources Corporation (2006) website: http://www.bellresources.com/s/News.asp?ReportID=154819&_Type=News&_Title=A-Train-Drill-Assay-Results (now off-line).
3. Carlson, S. M., G. W. Robinson, M. J. Elder, J. A. Jaszcak, and T. J. Bornhorst (2007a) Greenockite and associated uranium-vanadium minerals from the Huron River uranium prospect, Baraga County, Michigan. *Rocks and Minerals*, **82**:298-308.

4. Carlson, S. M., M. J. Elder, and A. E. Smith (2007b) The rock dam gold prospect, a new quartz locality, Dickinson County, Michigan. *Mineral News*, **23**(12), 1-2, 5-6.
5. Carlson, S. M. and M. J. Elder (2008) Collector's Note: New find of barite crystals with phantoms from Michigan's Copper Country. *Rocks and Minerals*, **83**(4), 348.
6. Carlson, S. M. (2011) Upper Michigan Celestine. *Mineral News*, **27**(11), 1,9.
7. Ehlers, G. M. and R. V. Kesling (1970) Devonian strata of Alpena and Presque Isle Counties, Michigan, Guidebook for Fieldtrips, Michigan Basin Geol. Soc., East Lansing, MI, 130 p.
8. Gordon, S. G. (1939) Greenockite from Llallagua, Bolivia. *Notulae Naturae of the Academy of Natural Sciences of Philadelphia*, **1**:1-6.
9. Jambor, J. L. and A. C. Roberts (1995) New mineral names. *American Mineralogist*, **80**, 184-188.
10. Mahin, R. A., T. O. Quigley, and J. S. Lynott (2004a) The discovery and geology of the L-K massive sulfide deposit, Menominee County, MI. *Institute on Lake Superior Geology Proceedings, 50th Annual Meeting, Duluth, MN*, **50**(1), 109.
11. Mahin, R. A., T. O. Quigley, and J. S. Lynott (2004b) The geology of the L-K massive sulfide deposit, Menominee County, MI. *Institute on Lake Superior Geology Proceedings, 50th Annual Meeting, Duluth, MN*, **50**(1), 110.
12. Snelgrove, A. K., W. A. Seaman, and V. L. Ayres (1944) Strategic minerals investigations in Marquette and Baraga Counties 1943. *Michigan Geological Survey Progress Report 10*.
13. Quigley, T. and R. Mahin (2008) Geology of the Back Forty Project. *Institute on Lake Superior Geology Proceedings, 54th Annual Meeting, Marquette, MI*, **54**(2), 65-85.
14. Vickers, R. C. 1956a. *Origin and occurrence of uranium in northern Michigan*. PhD thesis, University of Wisconsin, 71p.

- 15.** Cook, N.J., C. L. Ciobanu, T. Wagner and C. J. Stanley (2007) Minerals of the system Bi-Te-Se-S related to the tetradyomite archetype: review of classification and compositional variation. *Canadian Mineralogist*, **45**:665-708.
- 16.** Cioflica, G., M. Lupulescu and M. Shimizu (1997) Bismuth minerals from the Băița Bihor and Vălisor-Tâncova mines: new compositional data. *Romanian Journal of Mineralogy*, **78** (Suppl.1):13-14.
- 17.** Argast, A. (2002) The lower Proterozoic Fern Creek Formation, northern Michigan: mineral and bulk geochemical evidence for its glaciogenic origin. *Canadian Journal of Earth Science*, **39**:481-492.
- 18.** Schoolcraft, H. R. (1855) Summary narrative of an exploratory expedition to the sources of the Mississippi River in 1820. Lippincott, Grambo, and Co., Philadelphia. p 531-533.
- 19.** Simmons, R. A. (2009) Minerals of the Grizzly Pegmatite Marquette County, Michigan. *Mineral News*, **25**(4), 1, 12-13.
- 20.** Carlson, S. M., C. Mircea and Northwoods Geology Club (2010a) Do Michigan pegmatites contain topaz crystals? Yes they do! *Mineral News*, **26**(2), 13-14.
- 21.** Olds, T. (2012) Mercury minerals of the Huron River uranium prospect, Baraga County, Michigan. *Rocks and Minerals*, **87**(2), 134-139.
- 22.** Rosemeyer, T. (2012) Copper-banded agates from the Kearsarge copper-bearing amygdaloidal lode, Houghton County, Michigan. *Rocks and Minerals*, **87**(4), 352-365.
- 23.** Rosemeyer, T. (2011) News from the Keweenaw part 4 – recent mineral finds in Michigan’s copper country. *Rocks and Minerals*, **86**(3), 206-227.
- 24.** Carlson, S. M. (2010b) Updating Michigan’s Mineralogy (Again). *Mineral News*, **26**(11), 1-2, 9-10.

25. Hansen, E., Reimink, J., and D. Harlov, (2010) Titaniferous accessory minerals in very low-grade metamorphic rocks, Keweenaw Peninsula, Michigan, USA. *Lithos*, **116**, 167-174.
26. Vicary, J. (2007) *Over 100 rock collecting locations in lower Michigan* (second edition). 47 p. Published by the author.
27. Buchholz, T. W., A. U. Falster, and W. B. Simmons (2010) New data on minerals from the Keweenaw copper district, MI. *Rocks and Minerals* **86**(2), 174-175.
28. Buchholz, T. W., A. U. Falster, and W. B. Simmons (2013a) Accessory mineralogy of an evolved pegmatite, Dickinson County, MI. (in preparation).
29. Buchholz, T. W., A. U. Falster, and W. B. Simmons (2013b) Accessory mineralogy of the Black River Pegmatite and Humboldt Granite, Marquette County, MI. *Proceedings of the 40th Rochester Acad. Sci. Mineral Symposium*, Rochester, New York (in press).